



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1410 North Hilton • Boise, Idaho 83706-1255 • (208) 373-0502

Dirk Kempthorne, Governor
C. Stephen Allred, Director

May 23, 2002

CERTIFIED MAIL # 7000 1530 0005 5348 5257

Mr. Steve Clark, Project Manager
Acme Concrete Paving, Inc.
4124 E. Broadway
Spokane, WA 99202

RE: AIRS Facility No. 777-00070, Acme Concrete Paving, Inc.
(Portable Concrete Batch Plant, Permit to Construct)

Dear Mr. Clark:

The Idaho Department of Environmental Quality (Department) is issuing Permit to Construct No. 777-00070 to Acme Concrete Paving Inc. in accordance with IDAPA 58.01.01.200-223, *Rules for the Control of Air Pollution in Idaho*. The enclosed permit is effective immediately and is based on the information contained in your permit application received February 4, 2002.

This permit does not release Acme Concrete Paving Inc. from compliance with all other applicable federal, state, or local laws, regulations, permits, and ordinances. Copies of the Portable Equipment Registration and Relocation Form and maps showing all nonattainment areas within Idaho are provided. The form must be submitted to the Department at least 10 days prior to the relocation of any equipment covered by this permit.

Tom Harman of the Coeur d'Alene Regional Office will contact you regarding a meeting with the Department to discuss the permit terms and requirements. In addition to your facility's plant manager, the Department recommends that the following representatives of your firm also attend this meeting: your responsible official, environmental contact, and any operations staff responsible for day-to-day compliance with permit conditions.

You, as well as any other entity, have the right to appeal this final agency action pursuant to IDAPA 58.01.23, *Rules of Administrative Procedure Before the Board of Environmental Quality*. A petition may be filed with the Hearings Coordinator, Department of Environmental Quality, 1410 N. Hilton, Boise, ID 83706-1255 within 35 days of the date of this decision. However, prior to filing a petition for a contested case, the Department encourages you to contact Dan Salgado at (208) 373-0431 to address any concerns you may have with the enclosed permit.

Sincerely,

Marjorie Marg Emerson
for

Katherine B. Kelly
Administrator
Air Quality Division

KK/DH/sd

Project No. P-020002

G:\Air Permits\PT CACME\P-020002 Permit Ltr.doc

Enclosures

cc: Joan Lechtenberg, Air Quality Division
Tom Harman, Coeur d'Alene Regional Office



**IDAHO DEPARTMENT OF ENVIRONMENTAL QUALITY
PORTABLE EQUIPMENT REGISTRATION AND RELOCATION FORM**

Company Name:	
Phone Number:	
Mailing Address:	
Contact:	
Signature:	Date:

Plant Type (HMA, Rock Crusher, Mfr., Model No.)					
Type of Permit	Permit to Construct or Operating Permit	Yes	No	If Yes, Permit Number: Issuance Date:	
	Permit by Rule	Yes	No	If Yes, Registration Date:	
Fuel Type for Generator:					
Have any major components of the plant or its air pollution equipment been replaced or modified since the plant last operated? Yes No If Yes, attach explanation on additional paper.					

Current Location:	
New Location:	
Estimated Startup Date: (month/day/year)	Estimated End Date: (month/day/year)

Will Plant be co-located with another rock crusher, concrete batch, or hot-mix asphalt plant at new location?					Yes No	
If Yes	Name of Other Company:					
	Type of Plant: <input type="checkbox"/> Rock Crusher <input type="checkbox"/> Concrete Batch <input type="checkbox"/> Hot-Mix Asphalt					
	Type of Permit	Permit to Construct or Operating Permit	Yes	No	If Yes, Permit Number: Issuance Date:	
		Permit by Rule	Yes	No	If Yes, Registration Date:	

Will plant be operated in conjunction with a state of Idaho contract?					Yes No
If Yes	Contract No.:				
	State of Idaho Contact Person:				
	Phone Number:				

THIS FORM MUST BE SUBMITTED TEN (10) DAYS BEFORE PLANT IS RELOCATED.

A scaled plot plan identifying the property boundary of the new site must be included with this form.

**Mail to: PERF Processing Unit
Idaho DEQ - Air Quality
1410 North Hilton
Boise, ID 83706-1255**

Revised March 2002



**Air Quality
PERMIT TO CONSTRUCT**

State of Idaho
Department of Environmental Quality

PERMIT NO.: 777-00070

CLASS: B

SIC: 3273

1. PERMITTEE

Acme Concrete Paving, Inc.

2. PROJECT

Portable Concrete Batch Plant

3. MAILING ADDRESS

4124 E. Broadway

CITY

Spokane

STATE

WA

ZIP

99202

4. FACILITY CONTACT

Steve Clark

TITLE

Project Manager

TELEPHONE

(509) 242-1234

5. RESPONSIBLE OFFICIAL

Robert Seghett

TITLE

Vice President

TELEPHONE

(509) 242-1234

6. EXACT PLANT LOCATION

Portable

COUNTY

Portable

7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS

Concrete Manufacturing

8. GENERAL CONDITIONS

This permit is issued according to IDAPA 58.01.01.200 (*Rules for the Control of Air Pollution in Idaho*), and pertains only to emissions of air contaminants regulated by the state of Idaho and to the sources specifically allowed to be constructed by this permit.

This permit (a) does not affect the title of the premises upon which the equipment is to be located; (b) does not release the permittee from any liability for any loss due to damage to person or property caused by, resulting from, or arising out of the design, installation, maintenance, or operation of the proposed equipment; (c) does not release the permittee from compliance with other applicable federal, state, tribal, or local laws, regulations, or ordinances; (d) in no manner implies or suggests that the Idaho Department of Environmental Quality or its officers, agents, or employees, assume any liability, directly or indirectly, for any loss due to damage to person or property caused by, resulting from, or arising out of design, installation, maintenance, or operation of the proposed equipment.

This permit is not transferable to another person, place, or piece or set of equipment. This permit will expire if construction has not begun within two years of its issue date or if construction is suspended for one year.

This permit has been granted on the basis of design information presented with its application. Changes of design or equipment may require Department approval pursuant to the *Rules for the Control of Air Pollution in Idaho*, IDAPA 58.01.01.200, et seq.

Marjorie Mary Emerson for

KATHERINE B. KELLY, ADMINISTRATOR, AIR QUALITY DIVISION
DEPARTMENT OF ENVIRONMENTAL QUALITY

Date Issued: May 23, 2002

TABLE OF CONTENTS

TABLE OF CONTENTS	2
ACRONYMS, UNITS, AND CHEMICAL NOMENCLATURE	3
1. STATEWIDE REQUIREMENTS	4
2. ATTAINMENT OR UNCLASSIFIABLE AREA REQUIREMENTS WHEN NOT COLLOCATED	7
3. ATTAINMENT OR UNCLASSIFIABLE AREA REQUIREMENTS WHEN COLLOCATED	8
4. NONATTAINMENT AREA REQUIREMENTS	9
5. PERMIT TO CONSTRUCT GENERAL PROVISIONS	10

ACRONYMS, UNITS, AND CHEMICAL NOMENCLATURE

CFR	Code of Federal Regulations
Department	Department of Environmental Quality
IDAPA	A numbering designation for all administrative rules in Idaho promulgated in accordance with the Idaho Administrative Procedures Act
O&M	operations and maintenance
PM₁₀	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers
SIC	Standard Industrial Classification

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: 777-00070

Permittee: Acme Concrete Paving, Inc.
Location: Portable

Date Issued: May 23, 2002

1. STATEWIDE REQUIREMENTS

The permittee shall comply with the following conditions when the concrete batching facility is operated anywhere (nonattainment, attainment, or unclassifiable areas) within the state of Idaho.

Emissions Limits

1.1 Opacity Limit

Emissions emanating from any stack, vent, or other functionally equivalent opening shall not exceed 20% opacity for a period or periods aggregating more than three minutes in any 60-minute period as required in IDAPA 58.01.01.625. Opacity shall be determined using the procedures contained in IDAPA 58.01.01.625. **[IDAPA 58.01.01.625]**

1.2 Visible Emission Limits at Property Boundary

Fugitive emissions shall not be observed leaving the property boundary for a period or periods aggregating more than three minutes in any 60-minute period. Visible emissions shall be determined by Method 22, as described in 40 CFR Part 60, Appendix A, or a Department-approved alternative method. **[IDAPA 58.01.01.211]**

Operating Requirements

1.3 Reasonable Control of Fugitive Emissions

All reasonable precautions shall be taken to prevent particulate matter from becoming airborne as required in IDAPA 58.01.01.651. In determining what is reasonable, considerations will be given to factors such as the proximity of dust-emitting operations to human habitations and/or activities and atmospheric conditions that might affect the movement of particulate matter. Some of the reasonable precautions include, but are not limited to, the following:

- Use, where practical, of water or chemicals for control of dust in the demolition of existing buildings or structures, construction operations, the grading of roads, or the clearing of lands.
- Application, where practical, of asphalt, oil, water or suitable chemicals to, or covering of dirt roads, material stockpiles, and other surfaces which can create dust.
- Installation and use, where practical, of hoods, fans and fabric filters or equivalent systems to enclose and vent the handling of dusty materials. Adequate containment methods should be employed during sandblasting or other operations.
- Covering, where practical, of open-bodied trucks transporting materials likely to give rise to airborne dusts.
- Paving of roadways and their maintenance in a clean condition, where practical.
- Prompt removal of earth or other stored material from streets, where practical.

[IDAPA 58.01.01.651]

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: 777-00070

Permittee: Acme Concrete Paving, Inc.
Location: Portable

Date Issued: May 23, 2002

1.4 Operations and Maintenance Manual Requirements

Within 60 days after startup, the permittee shall have developed an O&M manual for the air pollution control device which describes the procedures that shall be followed to comply with General Provision 2 and the air pollution control device requirements contained in this permit. The manual shall remain onsite at all times and shall be made available to Department representatives upon request.

[IDAPA 58.01.01.211]

1.5 Monitoring Equipment

The permittee shall install, calibrate, maintain, and operate, in accordance with manufacturer specifications, equipment to measure the pressure differential across the air pollution control equipment.

[IDAPA 58.01.01.211]

1.6 Pressure Drop Across Air Pollution Control Device

The pressure drop across the air pollution control device shall be maintained within the manufacturer and O&M manual specifications. Documentation of both manufacturer and O&M manual operating pressure drop specifications shall remain onsite at all times and shall be made available to Department representatives upon request.

[IDAPA 58.01.01.211]

Monitoring and Recordkeeping Requirements

1.7 Operating Parameters

The following operating parameters shall be monitored and recorded. A compilation of the most recent two years of records shall be kept onsite and shall be made available to Department representatives upon request.

1.7.1 Pressure drop reading across the air pollution control device once per week.

1.7.2 Concrete production in cubic yards on a monthly basis.

[IDAPA 58.01.01.211]

1.8 Reasonable Control Measures

The permittee shall monitor and record, during operation, the periodic method(s) used to reasonably control fugitive emissions from this facility. The records shall include the type of control used (e.g., water, environmentally safe chemical dust suppressants, etc.) as well as the circumstances under which no controls are used. A compilation of the most recent two years of records shall be kept onsite and shall be made available to Department representatives upon request.

[IDAPA 58.01.01.211]

1.9 Monitor Generator Hours of Operation

The permittee shall monitor and record the generator's hours of operation each month. A compilation of the most recent two years of records shall be kept onsite and shall be made available to Department representatives upon request.

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: 777-00070

Permittee: Acme Concrete Paving, Inc.
Location: Portable

Date Issued: May 23, 2002

Reporting Requirements

1.10 Relocation

All existing portable equipment shall be registered. At least 10 days prior to relocation of any equipment covered by this permit, the permittee shall submit a complete Portable Equipment Registration and Relocation Form (available on the DEQ Web site at: www2.state.id.us/deq/air/equip_relocat.htm), in accordance with IDAPA 58.01.01.500, and a scaled plot plan to the following:

PERF Processing Unit
Idaho DEQ - Air Quality
1410 N. Hilton
Boise, ID 83706-1255

[IDAPA 58.01.01.500]

1.11 Certification of Documents

All documents, including, but not limited to, application forms for permits to construct, monitoring data, supporting information, requests for confidential treatment, testing reports, and compliance certifications submitted to the Department shall contain a certification by a responsible official in accordance with IDAPA 58.01.01.123. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete.

[IDAPA 58.01.01.123]

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: 777-00070

Permittee: Acme Concrete Paving, Inc.
Location: Portable

Date Issued: May 23, 2002

2. ATTAINMENT OR UNCLASSIFIABLE AREA REQUIREMENTS WHEN NOT COLLOCATED

The permittee shall comply with the requirements in Permit Condition 1 and the following permit conditions when the concrete-batching facility is operated in any attainment or unclassifiable areas, and when it is not collocated, within the state of Idaho.

Operating Requirements

2.1 Facility Throughput Limits

The production rate of the concrete-batching facility shall not exceed a maximum of 2,950,308 cubic yards per any consecutive 12-month period when operating in any attainment or unclassifiable area.

[IDAPA 58.01.01.203]

2.2 Collocation Requirements

When the concrete batching facility is to be collocated with another portable concrete batch plant, rock-crushing plant, or hot-mix asphalt (HMA) plant; the collocation requirements of Permit Condition 3 must be complied with.

2.3 Generator Hours of Operation

The generator(s) shall not be operated more than 7,376 hours per any consecutive 12-month period when operating in any attainment or unclassifiable area.

[IDAPA 58.01.01.203]

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: 777-00070

Permittee: Acme Concrete Paving, Inc.
Location: Portable

Date Issued: May 23, 2002

3. ATTAINMENT OR UNCLASSIFIABLE AREA REQUIREMENTS WHEN COLLOCATED

The permittee shall comply with the requirements in Permit Condition 1 and the following permit conditions when the concrete-batching facility is to be collocated with another portable concrete batch plant, rock-crushing plant, or HMA plant within the state of Idaho. The concrete-batching facility may only collocate with either one portable rock-crushing plant, one portable HMA plant, or one other portable concrete batch plant that has been permitted to specifically allow collocation.

Operating Requirements

3.1 Collocation Areas

The concrete-batching facility may collocate in attainment or unclassifiable areas only. The permittee shall not collocate in a nonattainment area or proposed nonattainment area without obtaining a permit that specifically allows for collocation in a nonattainment area.

3.2 Number of Portable Sources

The concrete-batching facility may only collocate with either one portable rock-crushing plant, one portable HMA plant, or one other portable concrete batch plant that has been permitted to specifically allow collocation.

3.3 Facility Throughput Limits

The production rate of the concrete-batching facility shall not exceed a maximum of 1,475,154 cubic yards per any consecutive 12-month period when collocated with another concrete batch plant, rock-crushing plant, or HMA plant.

[IDAPA 58.01.01.203]

3.4 Generator Hours of Operation

The generator(s) shall not be operated more than 3,688 hours per consecutive 12-month period when collocated with another concrete batch plant, rock-crushing plant, or HMA plant.

[IDAPA 58.01.01.203]

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: 777-00070

Permittee: Acme Concrete Paving, Inc.
Location: Portable

Date Issued: May 23, 2002

4. NONATTAINMENT AREA REQUIREMENTS

The permittee shall comply with the requirements in Permit Condition 1 and the following permit conditions when the concrete-batching facility is operated in any PM₁₀ nonattainment areas within the state of Idaho. While operating the concrete-batching facility under the requirements set forth in Permit Condition 4, the concrete-batching facility may not collocate with any other facility.

Operating Requirements

4.1 Facility Throughput Limits

The production rate of the concrete-batching facility shall not exceed a maximum of 2,950,308 cubic yards per any consecutive 12-month period, or 9,040 cubic yards per day, when located in any PM₁₀ nonattainment area or proposed PM₁₀ nonattainment area.

[IDAPA 58.01.01.203]

4.2 Collocation Requirements

The concrete-batching facility shall not be collocated with another portable concrete batch plant, rock-crushing plant, or HMA plant when located in any PM₁₀ nonattainment area or proposed PM₁₀ nonattainment area.

4.3 Generator Hours of Operation

The generator(s) shall not be operated more than 7,376 hours per any consecutive 12-month period, or 22.6 hours per day, when operating in any PM₁₀ nonattainment area or proposed PM₁₀ nonattainment area.

[IDAPA 58.01.01.203]

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: 777-00070

Permittee: Acme Concrete Paving, Inc.
Location: Portable

Date Issued: May 23, 2002

5. PERMIT TO CONSTRUCT GENERAL PROVISIONS

1. All emissions authorized herein shall be consistent with the terms and conditions of this permit and the *Rules for the Control of Air Pollution in Idaho*. The emission of any pollutant in excess of the limitations specified herein, or noncompliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit and the *Rules for the Control of Air Pollution in Idaho*, and the Environmental Protection and Health Act, Idaho Code §39-101, et seq.
2. The permittee shall at all times (except as provided in the *Rules for the Control of Air Pollution in Idaho*) maintain in good working order and operate as efficiently as practicable, all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable Idaho laws for the control of air pollution.
3. The permittee shall allow the Director, and/or the authorized representative(s), upon the presentation of credentials:
 - 3.1 To enter, at reasonable times, upon the premises where an emission source is located, or in which any records are required to be kept under the terms and conditions of this permit; and
 - 3.2 At reasonable times, to have access to and copy any records required to be kept under the terms and conditions of this permit, to inspect any monitoring methods required in this permit, and require stack emission testing in conformance with IDAPA 58.01.01.157 when deemed appropriate by the Director.
4. Nothing in this permit is intended to relieve or exempt the permittee from compliance with any applicable federal, state, or local law or regulation, except as specifically provided herein.
5. The permittee shall notify DEQ, in writing, of the required information for the following events within five working days after occurrence:
 - Initiation of Construction - Date
 - Completion/Cessation of Construction - Date
 - Actual Production Start-up - Date
 - Initial Date of Achieving Maximum Production Rate - Production Rate and Date
6. If emission testing is specified, the permittee must schedule such testing within 60 days after achieving the maximum production rate, but not later than 180 days after initial startup. Such testing must **strictly** adhere to the procedures outlined in IDAPA 58.01.01.157 and shall not be conducted on weekends or state holidays without prior written DEQ approval. Testing procedures and specific time limitations may be modified by DEQ by prior negotiation if conditions warrant adjustment. DEQ shall be notified at least 15 days prior to the scheduled compliance test. Any records or data generated as a result of such compliance test shall be made available to DEQ upon request.

The maximum allowable operating rate shall be limited to 120% of the average operating rate attained during any performance test period, for which a test protocol has been granted prior approval by DEQ, unless (1) the test demonstrates noncompliance, (2) a more restrictive operating limit is specified elsewhere in this permit, or (3) at such an operating rate, emissions would exceed any emission limit(s) set forth in this permit.
7. The provisions of this permit are severable, and if any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.